

KEMPEROL® CP Catalyst Powder



Uses

- Reactants for the curing of KEMPEROL® V 210 / V 210 M Waterproofing and KEMPEROL® BR / BR M Waterproofing
- Reactants (hardener) for curing of KEMPEROL® and KEMPERDUR® AC products

Composition

Catalyst based on 50 % dibenzoyl peroxide in stabilizer.

Pack sizes

UP (KEMPEROL® V 210/V 210 M , KEMPEROL® BR / BR M):

0,6 kg and 1,6 kg

PMMA (AC-products):

20 g and 100 g

Shelf Life

Store unopened in a cool, dry, frost-free place. See label for use before date.

Must be stored separately. Safety instructions on the packaging and the safety data sheets must be observed.

Usage guide

Refer to the technical data sheet of the corresponding product to determine the quantity of catalyst powder to be added.

Properties

Form Powder

* Values obtained at a temperature of 23 °C - 50% rel. humidity. These values vary depending on the weather conditions, such as wind, humidity and temperature.

** valid for joint areas. For installation on the entire surface after 2 d.

CE marking

Component to 2	ETA 03/0025
	ETA 03/0026
Component to 1	ETA 03/0025
Component to 4	ETA 03/0026
	ETA 03/0043
	ETA 03/0044

Laying

Mix according to the mixing instructions for the products mentioned above.

Always wear personal protective equipment (breathing equipment with filter A/P2, protective gloves, safety goggles).

Important notice

The BG-Chemie technical data sheets must be observed during application.

Do not allow into the sewer system or into the ground.

Protect from heat and direct sun.

Disposal

Catalyst Powder solid EWC 16 05 08

General information

The times given above are reduced with higher and increased with lower ambient and substrate temperatures. KEMPER SYSTEM products must not be mixed with other manufacturers' products.

Only for commercial use.

Our technical data sheets / technical information and application instructions reflect the current level of knowledge in our company and the experience with our products. In each case, the new edition supersedes the previous technical information and renders it invalid. It is therefore necessary that you always have to hand the current code of practise. The latest version can be retrieved from the KEMPER SYSTEM Login section. When using our products, a detailed, object-related and qualified inspection is required in each individual case in order to determine whether the product and /or application technology in question meets the specific requirements and purposes. We are liable only for our products being free from faults, and this only if our relevant product has been used and applied according to the instructions in our technical data sheets. Correct application of our products therefore falls entirely within the scope of liability and responsibility of the user (contractor). Our products are sold exclusively on the bases of our conditions of sale and delivery.

Issued: Vellmar, 2017-12-20